

Author Index

Akagi, K., see Iwase, K. (53) 1 Arnold, J.S., see Wu, S. (53) 88

Balduini, W., see Cimino, M. (53) 297
Bale, T.L. and Dorsa, D.M.
NGF, cyclic AMP, and phorbol esters regu-

late oxytocin receptor gene transcription in SK-N-SH and MCF7 cells (53) 130

Bamburg, J.R., see Bernstein, B.W. (53) 236 Battaglino, P.B., see Fathi, Z. (53) 348

Beermann, F., see Tief, K. (53) 307

Belagaje, R.M., see Wu, S. (53) 88 Berman, S., see Li, J. (53) 174

Bernstein, B.W., DeWit, M. and Bamburg, J.R. Actin disassembles reversibly during electrically induced recycling of synaptic vesicles in cultured neurons (53) 236

Bethea, C.L., see Pecins-Thompson, M. (53) 120

Bianchi, M., see Cimino, M. (53) 297
Bock-Samson, S., see Wouters, B.C. (53) 53
Bresnick, J.N., see Stefanis, N.C. (53) 112
Brooks, B.L. see Meriette, C. (53) 317

Brooks, P.J., see Marietta, C. (53) 317 Brown, A.N., see Pecins-Thompson, M. (53) 120

Burgett, S.G., see Wu, S. (53) 88

Burkhoff, A.M., Linemeyer, D.L. and Salon, J.A.

Distribution of a novel hypothalamic neuropeptide Y receptor gene and its absence in rat (53) 311

Bursztajn, S., see Li, J. (53) 174

Cagampang, F.R.A., Rattray, M., Campbell, I.C., Powell, J.F. and Coen, C.W. Variation in the expression of the mRNA for protein kinase C isoforms in the rat suprachiasmatic nuclei, caudate putamen and cerebral cortex (53) 277

Campbell, I.C., see Cagampang, F.R.A. (53) 277

Caput, D., see Magazin, M. (53) 301 Cattabeni, F., see Cimino, M. (53) 297 Cavrois, E., see Magazin, M. (53) 301 Chan, P.H., see Weisbrot-Lefkowitz, M. (53)

Chan, P.H., see Weisbrot-Lefkowitz, M. (53) 333 Cimino, M., Balduini, W., Marini, P., Cat-

tabeni, F., Court, J.A., Bianchi, M. and Magnani, M. Expression of hexokinase mRNA in human hippocampus (53) 297

Coen, C.W., see Cagampang, F.R.A. (53) 277 Colangelo, A.M., Follesa, P. and Mocchetti, I. Differential induction of nerve growth factor and basic fibroblast growth factor mRNA in neonatal and aged rat brain (53) 218 Court, J.A., see Cimino, M. (53) 297 Crocker, S.J., Morelli, M., Wigle, N.,

Nakabeppu, Y. and Robertson, G.S. D₁-receptor-related priming is attenuated by antisense-meditated 'knockdown' of *fosB* expression (53) 69

Cunningham, A.M., see Fathi, Z. (53) 348

DeWit, M., see Bernstein, B.W. (53) 236 Dietrich, H., see Hu, Y. (53) 251 Dorsa, D.M., see Bale, T.L. (53) 130 Dragunow, M., see Hughes, P.E. (53) 138 Drescher, D.G., see Morley, B.J. (53) 78

Elgoyhen, A.B., see Morley, B.J. (53) 78

Fathi, Z., Cunningham, A.M., Iben, L.G.,
Battaglino, P.B., Ward, S.A., Nichol, K.A.,
Pine, K.A., Wang, J., Goldstein, M.E., Iismaa, T.P. and Zimanyi, I.A.
Cloning, pharmacological characterization and distribution of a novel galanin receptor.
[This article was published in Mol. Brain Res. 51/1,2 (1997) 49-59] (53) 348
Ferrara, P., see Magazin, M. (53) 301

Fine, R.E., see Johnson, R.J. (53) 104 Follesa, P., see Colangelo, A.M. (53) 218 Fujii, M., see Kobayashi, M. (53) 206 Fukunaga, K., see Iwase, K. (53) 1

Gallinari, P., see Marietta, C. (53) 317
Gallinat, S., see Stroth, U. (53) 187
García-Barcina, J.M. and Matute, C.
AMPA-selective glutamate receptor subunits in glial cells of the adult bovine white matter (53) 270

Garyfallou, V.T., see Kohama, S.G. (53) 328 Goldstein, M.E., see Fathi, Z. (53) 348

Han, Y.-G., see Seong, J.Y. (53) 226
Henriksson, B.G., see Rasmuson, S. (53) 285
Hiel, H., see Morley, B.J. (53) 78
Holmes, M.C., see Rasmuson, S. (53) 285
Howlett, A.C., see McIntosh, H.H. (53) 163
Hu, Y., Schett, G., Zou, Y., Dietrich, H. and Xu, Q.
Abundance of platelet-derived growth factors (PDGFs), PDGF receptors and activation of mitogen-activated protein kinases in

brain decline with age (53) 251

Huang, Z., see Petitto, J.M. (53) 152

Hughes, P.E., Young, D., Preston, K.M., Yan,Q. and Dragunow, M.Differential regulation by MK801 of immediate-early genes, brain-derived neu-

diate-early genes, brain-derived neurotrophic factor and trk receptor mRNA induced by a kindling after-discharge (53)

Iadarola, M.J., see Messersmith, D.J. (53) 259 Iben, L.G., see Fathi, Z. (53) 348

Iismaa, T.P., see Fathi, Z. (53) 348
Imai, Y., Matsuo, N., Ogawa, S., Tohyama, M.
and Takagi, T.

Cloning of a gene, YT521, for a novel RNA splicing-related protein induced by hypoxia/reoxygenation (53) 33

Inouye, M., see Weisbrot-Lefkowitz, M. (53) 333

Ishiguro, M., Ohsawa, I., Takamura, C., Morimoto, T. and Kohsaka, S.
Secreted form of β-amyloid precursor protein activates protein kinase C and phospholipase Cγ1 in cultured embryonic rat neocortical cells (53) 24

Iwase, K., Iyama, K.-i., Akagi, K., Yano, S.,
Fukunaga, K., Miyamoto, E., Mori, M. and Takiguchi, M.
Precise distribution of neuronal nitric oxide synthase mRNA in the rat brain revealed by non-radioisotopic in situ hybridization (53)

Iyama, K.-i., see Iwase, K. (53) 1

Jiricny, J., see Marietta, C. (53) 317
Johnson, B.G., see Wu, S. (53) 88
Johnson, R.J., Liu, N., Shanmugaratnam, J. and Fine, R.E.
Increased calreticulin stability in differentiated NG-108-15 cells correlates with resistance to apoptosis induced by antisense

treatment (53) 104 Jope, R.S., see Li, X. (53) 196

Kam, K., see Seong, J.Y. (53) 226
Kang, S.S., see Seong, J.Y. (53) 226
Kelly, P.A.T., see Rasmuson, S. (53) 285
Kerwin, R.W., see Stefanis, N.C. (53) 112
Kim, D.J., see Messersmith, D.J. (53) 259
Kim, K., see Seong, J.Y. (53) 226
Kiryu-Seo, S., see Tanabe, K. (53) 291
Kiyama, H., see Tanabe, K. (53) 291
Kobayashi, M., Fujii, M., Kurihara, K. and
Matsuoka, I.

Bone morphogenetic protein-2 and retinoic acid induce neurotrophin-3 responsiveness in developing rat sympathetic neurons (53)

Kohama, S.G., Garyfallou, V.T. and Urbanski,

Regional distribution of glutamate receptor mRNA in the monkey hippocampus and temporal cortex: influence of estradiol (53) 328

Kohsaka, S., see Ishiguro, M. (53) 24 Kurihara, K., see Kobayashi, M. (53) 206 Kusumi, I., see Liu, I.S.C. (53) 98 Kusumi, I., see Qian, I.H.-P. (53) 339 Kwon, H.B., see Seong, J.Y. (53) 226

Li, H.-S., see Morley, B.J. (53) 78 Li, J., Nixon, R., Messer, A., Berman, S. and Bursztajn, S. Altered gene expression for calpain/calpastatin system in motor neuron degeneration (Mnd) mutant mouse brain and spinal cord (53) 174

Li, X., Song, L. and Jope, R.S. Glutathione depletion exacerbates impairment by oxidative stress of phosphoinositide hydrolysis, AP-1, and NF-kB activation by cholinergic stimulation (53) 196

Linemeyer, D.L., see Burkhoff, A.M. (53) 311 Little, K., see Wouters, B.C. (53) 53

Liu, I.S.C., Kusumi, I., Ulpian, C., Tallerico, T. and Seeman, P.

A serotonin-4 receptor-like pseudogene in humans (53) 98

Liu, I.S.C., see Qian, I.H.-P. (53) 339 Liu, N., see Johnson, R.J. (53) 104

Maeda, M., see Nagano, T. (53) 13 Magazin, M., Schiltz, P., Zachayus, J.-L., Cavrois, E., Caput, D. and Ferrara, P. Inhibition of lysophosphatidic acid-induced neurite retraction and cell rounding by SR 57746A (53) 301

Magnani, M., see Cimino, M. (53) 297 Mandelzys, A., see Pérez-Otaño, I. (53) 41 Marietta, C., Palombo, F., Gallinari, P., Jiricny,

J. and Brooks, P.J. Expression of long-patch and short-patch DNA mismatch repair proteins in the em-

bryonic and adult mammalian brain (53) 317

Marini, P., see Cimino, M. (53) 297 Matsuo, N., see Imai, Y. (53) 33 Matsuoka, I., see Kobayashi, M. (53) 206 Matute, C., see García-Barcina, J.M. (53) 270 McAllister, G., see Stefanis, N.C. (53) 112

McCarthy, D.B., see Petitto, J.M. (53) 152

McIntosh, H.H., Song, C. and Howlett, A.C. CB₁ cannabinoid receptor: cellular regulation and distribution in N18TG2 neuroblastoma cells (53) 163

Meffert, S., see Stroth, U. (53) 187 Messer, A., see Li, J. (53) 174

Messersmith, D.J., Kim, D.J. and Iadarola, M.J. Transcription factor regulation of prodynorphin gene expression following rat hindpaw inflammation (53) 259

Mirochnitchenko, O., see Weisbrot-Lefkowitz, M. (53) 333

Miyamoto, E., see Iwase, K. (53) 1 Mocchetti, I., see Colangelo, A.M. (53) 218 Mohammed, A.H., see Rasmuson, S. (53) 285 Morelli, M., see Crocker, S.J. (53) 69

Morgan, J.I., see Pérez-Otaño, I. (53) 41

Mori, M., see Iwase, K. (53) 1

Mori, N., see Tanabe, K. (53) 291

Mori, Y., see Nagano, T. (53) 13 Morimoto, T., see Ishiguro, M. (53) 24

Morley, B.J., Li, H.-S., Hiel, H., Drescher, D.G. and Elgoyhen, A.B. Identification of the subunits of the nico-

tinic cholinergic receptors in the rat cochlea using RT-PCR and in situ hybridization (53)78

Nagano, T., Nakamura, A., Mori, Y., Maeda, M., Takami, T., Shiosaka, S., Takagi, H. and Sato, M. Differentially expressed olfactomedin-re-

lated glycoproteins (Pancortins) in the brain

Nagano, T., see Nakamura, T. (53) 321 Nakabeppu, Y., see Crocker, S.J. (53) 69 Nakamura, A., see Nagano, T. (53) 13 Nakamura, T., Tanaka, T., Nagano, T., Yoneda,

T., Takagi, H. and Sato, M. Distribution of mRNA encoding Tat-binding protein-1 (TBP-1), a component of 26S proteasome, in the rat brain (53) 321

Nakamura, T., see Tanabe, K. (53) 291 Nam, D., see Qian, I.H.-P. (53) 339 Nichol, K.A., see Fathi, Z. (53) 348 Nixon, R., see Li, J. (53) 174 Norden, J.J., see Wouters, B.C. (53) 53

Ochi, T., see Tanabe, K. (53) 291 Ogawa, S., see Imai, Y. (53) 33 Ohsawa, I., see Ishiguro, M. (53) 24 Olsson, T., see Rasmuson, S. (53) 285

Palombo, F., see Marietta, C. (53) 317 Pecins-Thompson, M., Brown, A.N. and Bethea, C.L.

Regulation of serotonin re-uptake transporter mRNA expression by ovarian steroids in rhesus macaques (53) 120

Pérez-Otaño, I., Mandelzys, A. and Morgan, J.I. MPTP-Parkinsonism is accompanied by

persistent expression of a Δ-FosB-like protein in dopaminergic pathways (53) 41 Perry, B., see Weisbrot-Lefkowitz, M. (53) 333

Petitto, J.M., Huang, Z., Raizada, M.K., Rinker, C.M. and McCarthy, D.B. Molecular cloning of the cDNA coding sequence of IL-2 receptor- γ (γ_c) from human and murine forebrain: Expression in the hip-

(53) 152Pine, K.A., see Fathi, Z. (53) 348 Powell, J.F., see Cagampang, F.R.A. (53) 277 Preston, K.M., see Hughes, P.E. (53) 138

pocampus in situ and by brain cells in vitro

Qian, I.H.-P., Kusumi, I., Ulpian, C., Tallerico, T., Nam, D., Liu, I.S.C., Seeman, M.V. and Seeman, P.

A human serotonin-7 receptor pseudogene (53) 339

Raizada, M.K., see Petitto, J.M. (53) 152 Rasmuson, S., Olsson, T., Henriksson, B.G., Kelly, P.A.T., Holmes, M.C., Seckl, J.R. and Mohammed, A.H. Environmental enrichment selectively increases 5-HT1A receptor mRNA expression and binding in the rat hippocampus (53)

Rattray, M., see Cagampang, F.R.A. (53) 277 Reuhl, K., see Weisbrot-Lefkowitz, M. (53) 333

Rinker, C.M., see Petitto, J.M. (53) 152 Robertson, G.S., see Crocker, S.J. (53) 69 Rockey, P.K., see Wu, S. (53) 88 Rosteck Jr., P.R., see Wu, S. (53) 88 Ryu, K., see Seong, J.Y. (53) 226

Salon, J.A., see Burkhoff, A.M. (53) 311 Sato, M., see Nagano, T. (53) 13 Sato, M., see Nakamura, T. (53) 321 Schett, G., see Hu, Y. (53) 251 Schiltz, P., see Magazin, M. (53) 301 Schmidt, A., see Tief, K. (53) 307 Schoepp, D.D., see Wu, S. (53) 88 Schofield, W.N., see Stefanis, N.C. (53) 112 Seckl, J.R., see Rasmuson, S. (53) 285 Seeman, M.V., see Qian, I.H.-P. (53) 339 Seeman, P., see Liu, I.S.C. (53) 98 Seeman, P., see Qian, I.H.-P. (53) 339 Seong, J.Y., Kang, S.S., Kam, K., Han, Y.-G., Kwon, H.B., Ryu, K. and Kim, K. Differential regulation of gonadotropin-releasing hormone (GnRH) receptor expression in the posterior mediobasal hypothalamus by steroid hormones: implication of GnRH neuronal activity (53) 226

Shanmugaratnam, J., see Johnson, R.J. (53) 104 Shiosaka, S., see Nagano, T. (53) 13 Song, C., see McIntosh, H.H. (53) 163 Song, L., see Li, X. (53) 196 Stefanis, N.C., Bresnick, J.N., Kerwin, R.W., Schofield, W.N. and McAllister, G. Elevation of D₄ dopamine receptor mRNA in postmortem schizophrenic brain (53) 112 Stroth, U., Meffert, S., Gallinat, S. and Unger,

Angiotensin II and NGF differentially influence microtubule proteins in PC12W cells: role of the AT₂ receptor (53) 187

Takagi, H., see Nagano, T. (53) 13 Takagi, H., see Nakamura, T. (53) 321 Takagi, T., see Imai, Y. (53) 33 Takami, T., see Nagano, T. (53) 13 Takamura, C., see Ishiguro, M. (53) 24 Takiguchi, M., see Iwase, K. (53) 1 Tallerico, T., see Liu, I.S.C. (53) 98 Tallerico, T., see Qian, I.H.-P. (53) 339 Tanabe, K., Kiryu-Seo, S., Nakamura, T., Mori, N., Tsujino, H., Ochi, T. and Kiyama, H. Alternative expression of Shc family members in nerve-injured motoneurons (53) 291 Tanaka, T., see Nakamura, T. (53) 321

Tief, K., Schmidt, A. and Beermann, F. New evidence for presence of tyrosinase in substantia nigra, forebrain and midbrain (53) 307

Tohyama, M., see Imai, Y. (53) 33 Tsujino, H., see Tanabe, K. (53) 291

Uhl, G.R., see Wang, X.B. (53) 344 Ulpian, C., see Liu, I.S.C. (53) 98 Ulpian, C., see Qian, I.H.-P. (53) 339 Unger, T., see Stroth, U. (53) 187 Urbanski, H.F., see Kohama, S.G. (53) 328

Wang, J., see Fathi, Z. (53) 348
Wang, X.B. and Uhl, G.R.
Subtracted differential display: Genes with amphetamine-altered expression patterns include calcineurin (53) 344
Ward, S.A., see Fathi, Z. (53) 348
Weisbrot-Lefkowitz, M., Reuhl, K., Perry, B., Chan, P.H., Inouye, M. and

Mirochnitchenko, O.

Overexpression of human glutathione peroxidase protects transgenic mice against focal cerebral ischemia/reperfusion damage (53) 333

Wigle, N., see Crocker, S.J. (53) 69
Wouters, B.C., Bock-Samson, S., Little, K. and Norden, J.J.
Up-regulation of fast-axonally transported proteins in retinal ganglion cells of adult rats with optic-peroneal nerve grafts (53)

Wright, R.A., see Wu, S. (53) 88
Wu, S., Wright, R.A., Rockey, P.K., Burgett, S.G., Arnold, J.S., Rosteck Jr., P.R., Johnson, B.G., Schoepp, D.D. and Belagaje, R.M.

Group III human metabotropic glutamate receptors 4, 7 and 8: Molecular cloning,

functional expression, and comparison of pharmacological properties in RGT cells (53) 88

Xu, Q., see Hu, Y. (53) 251

Yan, Q., see Hughes, P.E. (53) 138 Yano, S., see Iwase, K. (53) 1 Yoneda, T., see Nakamura, T. (53) 321 Young, D., see Hughes, P.E. (53) 138

Zachayus, J.-L., see Magazin, M. (53) 301 Zimanyi, I.A., see Fathi, Z. (53) 348 Zou, Y., see Hu, Y. (53) 251